

Productivity and waste evaluation in civil construction – simulation with a reduced model to show the advantages of using Line of Balance Technique and Technological innovation on site.

**Carlos Luciano S. Vargas (1); José A. Krüger (2);
Luiz Fernando M. Heineck (3); Renato de Q. Coelho (4).**

(1) Civil Engineering Department, State University of Ponta Grossa. Praça Barão do Rio Branco, 233 ap.53, CEP: 84.010-710, Ponta Grossa/Pr, Brasil, E-mail: lucianovargas@convoy.com.br.

(2) Civil Engineering Department, State University of Ponta Grossa, Rua Castro Alves, 592, CEP: 84.020-230, Ponta Grossa/Pr, Brasil, E-mail: jakruger@convoy.com.br.

(3) Production Engineering and Systems Department, Federal University of Santa Catarina, Caixa Postal: 476, CEP: 88.010-970, Florianópolis/SC, Brasil.

(4) Rua Ozório Duque Estrada, 998, CEP: 82.520-470, Curitiba/Pr, Brasil, E-mail: rqcoelho@directnet.com.br.

Abstract - This productivity and waste evaluation exercise was developed to be applied in a common classroom. The simulation objective is to bring to classroom situations that often find on field. The model consists of the frontal view of a simple building and the technique is very simple too. The productive, auxiliary and unproductive times measurement were made by inspectors and a movie camera with time lapse dispositive.

Introduction

Using games and simulators in undergraduate and graduate teaching activities on Engineering courses can bring to classroom some situations that happen on building sites. By analysing the practical exercises results we can note students trials on associating classroom acquired knowledge with field practice (SALDANHA, 1991). These simulators and/or games for civil construction students training had their development increased on 70's, with simulators like Building Game of Building Research Establishment – BRE/UK (NOWAK, 1976) and other several simulation exercises, for example: The Building Industry Game – BIG (BJÖRNSSON, 1978); Constructo (HALPIN and WOODHEAD, 1970); Scheduling Game (SCOTT and CULLINGFORD, 1973). More recently, computer programs with graphical interfaces allowed the productive process tracking and are being considered a very useful tool to forecast conception and management problems that can occur in the construction phase. The ARENA program of Systems Modeling Corporation is being improved to simulate productive processes and can be used in civil construction operations (SOUZA, 1997).

Simulation using a reduced model

The productivity and waste evaluation exercise was first developed by Heineck, 1996. It was applied during the

development of a topic related to productivity and waste evaluation on site. The focus adopted in the simulation is to bring to classroom situations that we often find on field, such as: equipment and labour unproductive times, material wastes, production lack of sequence, inadequate stocks, etc. The original purpose was to use two techniques for productivity surveying: Time Lapse Recording and the Work Sampling Technique, both utilized in other productive systems (manufacturing industry). Waste evaluation was performed according to usual material consumption measurement techniques proposed by Santos, 1996

Applying the exercise with several students crews working at the same time, we can give data a statistical treatment, obtaining productivity, consumption and waste averages. Evaluating each crew's performance, we can also verify quality and productivity concepts such as quality control, quality evaluation, benchmarking and others.

The model utilized, execution technique and tasks

The model consists of a frontal view of a simple building (house) as presented on figure 1. Its execution technique is very simple. Using coloured cardboards (each material type has a different colour), student cut and paste materials on the model respecting the established dimensions. The chosen tasks and their respective colours were the following:

- (1) piles, (2) blocks, (3) foundation beams, (6) lintels and (7) beams – light grey (concrete);
- (4) damp proof course – dark grey (bitumenous material);
- (5) brickwall – orange (bricks);
- (8) roof timbers and (9) laths for roof's wood structure – yellow (wood);
- (10) tiles and (11) top tiles – red;
- (12) door frame and (13) door – brown (treated wood);
- (14) window frame – white (aluminium);
- (15) glass – blue.




Fig. 1 - Model used in the

Tasks sequence

Tasks were programmed to be executed in the sequence shown in figure 2, according to Brazilian South region usual

building techniques. In the case of applying this simulation in other regions, using another technologies and materials, it will be convenient to adapt this network.




Fig.2 - Tasks network

Site physical arrangement, inspection and time lapse


The simulation was performed in a common classroom, placing each building project on a cardboard attached to a desk. In physical arrangement adopted in the simulation performed with Civil Engineering undergraduate students of State University of Ponta Grossa inspectors, identified by a

red helmet, were selected to make the productive, auxiliary and unproductive times measurement and were responsible for recording these times on appropriated sheets. Besides inspectors, a movie camera with a time lapse recording dispositive was utilized to register working times.

Simulation phases, crews and identification

In this exercise the simulation was applied in two phases: in the first one, called Exercise 1, each crew executes all tasks working at the site in all activities, from foundation to roof. Each crew was composed by one (1) skilled labourer, one (1) helper and one (1) site surveyor. The skilled labourer,

identified by a green helmet, was responsible for the work rhythm, the obedience to the tasks sequence and the work quality. The site surveyor (blue helmet) had to record tasks durations, materials acquired, consumed and wasted quantities using sheets specially elaborated. In Table 1, recorded times by the site surveyors are shown for each task and for each crew as well as the average duration registered for Exercise 1.



The second simulation, called Exercise 2, was carried out on the second day of class, after compiling first exercise productivity data obtained in the former day. Thus we could program the construction using Line of Balance (LOB) Techniques. In this particular case, we used the programming by means of subprojects utilizing the MS Project 4.1 for Windows 95 (VARGAS and HEINECK, 1997). Any Line of Balance programming techniques can be used, like for example the computer program GERAPLAN (MENDES JUNIOR and LOPEZ VACA, 1997), that uses a programming structure adequated to the purposen simulation. Figure 3 shows LOB programming utilized.

In this second case - Exercise 2, each crew was responsible for only one task, performing this task repeatedly in all houses. Several crews were distributed in each task, thus increasing task execution rhythm. Each crew was composed by one (1) skilled labourer and one (1) helper. Only five (5) site surveyors were used to record tasks durations, according to the Table 1. The same number of inspectors of former exercise was also used to track work times of each crew. In this second exercise it was also allowed the acquisition of some pre-processed material, intending to show technological innovation effects on productivity. For example: door frames and doors were supplied already assembled, the same happening with aluminium window frames and roof timbers.

Task	Working times (hour: minutes)	
	Exercise 1	Exercise 2
(1) Piles	0:04	0:05
(2) Blocks	0:04	
(3) Foundations Beams	0:12	
(4) Damp Proof Course	0:06	0:02
(5) Brickwall	0:28	0:07
(6) Lintels	0:03	
(7) Beams	0:09	
(8) Roof Timbers	0:02	0:01
(9) Roof Laths	0:04	
(10) Tiles	0:16	0:05
(11) Top Tiles	0:04	
(12) Door Frame	0:06	0:01
(13) Door	0:02	
(14) Window Frame	0:05	0:01
(15) Glass	0:01	

Table 1 – Tasks Duration

Simulation exercises contents and goals

Preliminarily to the simulated exercises execution, a theoretical content in the area of construction management was introduced, like: wastes and productivity, times and movements and building programming techniques, etc. Some objectives, related below, were proposed to be reached with the simulation of a building construction on a reduced model.

- simulate labour productivity measurement techniques;
- verify the occurrence of materials waste on site;
- verify the occurrence of factors affecting productivity;
- verify the feasibility of Construction Management Applications on building sites, specially Line of Balance Techniques.

Methodology

Each crew was responsible for the following tasks:

- study the building execution;
- estimate building quantities in terms of materials;
- acquire materials;
- cut to size and trim building materials;
- study task programming (operations sequence);
- execute the building;
- measure the consumption of materials and level of wastes;
- fullfill forms and tables;
- evaluate material consumption and waste.

At the same time, inspectors were asked to follow the set of activities presented below to measure labour productivity:

- survey crew composition, identifying skilled labourers and helpers;
- track crews performance, registering productive, unproductive and auxilliary times;

- track and inspect tasks sequence and construction techniques utilized;
- fullfill tables;
- evaluate labour productivity.

Crews organizational structure, composition and distribution

It is recommended to work on the simulation with an adequate organizational structure, composed by: Coordination Crew: 2 to 3 graduate students; Inspector Crew: 3 to 9 undergraduate students; Site Crew: 3 undergraduate students (1 skilled labourer, 1 helper and 1 site surveyor). Usually, crews composition will be very heterogeneous, as this was not a official academic activity but a complementary one, putting together students from different terms joined on a voluntary basis. A system using plastified cards was utilized to distribute functions for each participant.

Required material and equipments


The following materials are required to perform the exercise: scissors, ruler (centimeters), coloured cardboards (several colours), glue and wooden stick, calculator, tables and forms, stopwatch, VHS movie camera with Time Lapse recording dispositive and photo camera.

Labour productivity evaluation

Graph nº 1 shows the results obtained for skilled labourers times (productives, unproductives and auxilliaries), comparing the two data acquisition techniques – work sampling and time lapse recording – utilized in the simulation. Data obtained show a significant reduction in the variability of the durations in all tasks execution time in Exercise 2, considering the programming technique (LOB) and technological innovation adopted when compared to Exercise 1, where houses were executed using traditional techniques. In Exercise 1, the total time (total duration to

build one house) in each unit was between 40 minutes and 2 hours (average = 1 hour and 40 minutes). In the second simulation this variability was reduced for a total time practically equal (1 hour and 40 minutes). Besides total time reduction, a visible reduction in labour quantity involved occurred. In the first exercise, there were 52 persons at the

classroom (site), taking into account execution, inspection and coordination people. In the second simulation, with LOB, in the peak of building execution we noted 30 people working at the site (8 skilled labourers + 8 helpers + 5 site surveyors + 7 inspectors + 2 coordinators).



Conclusions

The utilization of such a simple simulation model allows a great number of students training at the same time and does not need to bring to the classroom more sophisticated resources such as computers and simulation programs. At the same it can furnish information to feed virtual simulators. The proposed simulation model for civil construction buildings can make teaching activities of Engineering feasible, mainly for quantitative and qualitative surveys related to material wastes and labour productivity. It also highlights the factors affecting labour productivity, causes of wastes and the need for management actions. The exercise showed, for example: the importance of engineer presence on site, mainly when the construction has a more accelerated rhythm. With Line of Balance, it was necessary to anticipate execution crews beginning of work. If there was negligence on crews coordination, probably the productivity results would be different. The exercise made it clear that problems can be noted in the first repetitions of the work on site, avoiding problems in the future. During the exercise some management mistakes, common in practice, occurred,

such as: waiting times, constructive defects (reworks), cost increases (waste) and lack of quality. Finally, with simulators utilization and with the anticipation of situations that frequently happen on site in undergraduate teaching, it is possible that some civil construction industry real problems can be attenuated and consequently this sector of industry can reach better quality and productivity in the productive process.

References

- BJÖRNSSON, H. **BIG the building industry game**. CIB-65, Second Symposium on Organization & Management of Construction, Haifa/Israel, Oct/78.
- HALPIN, D.W.; WOODHEAD, R.W. **Constructo - a heuristic game for construction management**. University of Illinois Press, 1973.
- HALPIN, D.W. **Constructo - an interactive gaming environment**. ASCE - Journal of the Construction Division, vol. 102, mar/73, p.145-146.
- MENDES JUNIOR, Ricardo; LOPEZ VACA, Oscar C. **Um sistema especialista para a geração de plano de obra de edifícios altos**. Encontro Nacional de Engenharia de

- Produção (17: 1997: Gramado, RS). Resumo ... Porto Alegre: UFRGS, PPGE, 1997. 1 CD-ROM: il. p.61.
- NOWAK, F. **The BRE building game: notes for lecturers.** BRE Current Paper 49, jul/76.
- SALDANHA, Breno L. F. **Análise da atuação do engenheiro civil no gerenciamento do processo produtivo: disciplinas envolvidas e o desenvolvimento de jogos de treinamento.** Porto Alegre, 1991. Dissertação (mestrado em Engenharia Civil) - Curso de Pós-Graduação em Engenharia Civil da Escola de Engenharia da UFRGS.
- SANTOS, Aguinaldo...[et al]. **Método de intervenção para redução de perdas na construção civil: Manual de utilização.** Porto Alegre, 1996.
- SCARDOELLI, Lisiane Salerno...[et al]. **Melhorias de qualidade e produtividade: iniciativas das empresas de construção civil.** Porto Alegre, 1994.
- SCOTT, D.; CULLINGFORD, G. **Scheduling game for construction industry training.** ASCE - Journal of the Construction Division, vol. 99, jul/73, p.81-92.
- SOUZA, Patrícia C. de; WAZLAWICK, Raul S.; HOFFMANN, Augusto B. **Um ambiente construtivista em realidade virtual para aprendizagem em engenharia civil.** Revista de Ensino de Engenharia, Brasília, nº 18, p.24-30, nov/1997.
- VARGAS, Carlos Luciano S.; HEINECK. Luiz F. M. **Cálculo do balanço entre atividades repetitivas para uso em programas de gerenciamento de projetos.** Encontro nacional de Engenharia de Produção (17: 1997: Gramado, RS). Resumo ... Porto Alegre: UFRGS, PPGE, 1997. 1 CD-ROM: il. p.60.